



## SAFETY DATA SHEET SMOKE TREATMENT

### 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

PRODUCT NAME	SMOKE TREATMENT
APPLICATION	Oil Additive
SUPPLIER	Clorox Car Care, Unit 16, Rassau Industrial Estate, Ebbw Vale, Gwent NP23 5SD, UK 44 (0) 1495 350234 44 (0) 1495 350234
EMERGENCY TELEPHONE	44 (0) 1495 350234

### 2 COMPOSITION/INFORMATION ON INGREDIENTS

COMPOSITION COMMENTS  
Proprietary non-hazardous product.

### 3 HAZARDS IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.

### 4 FIRST-AID MEASURES

#### INHALATION

Move the exposed person to fresh air at once.

#### INGESTION

DO NOT INDUCE VOMITING! Drink plenty of water.

#### SKIN CONTACT

Wash skin thoroughly with soap and water.

#### EYE CONTACT

Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention.

### 5 FIRE-FIGHTING MEASURES

#### EXTINGUISHING MEDIA

Use: Foam. Carbon dioxide (CO<sub>2</sub>). Dry chemicals.

#### SPECIAL FIRE FIGHTING PROCEDURES

Avoid breathing fire vapours.

#### SPECIFIC HAZARDS

Fire creates: Oxides of: Carbon.

### 6 ACCIDENTAL RELEASE MEASURES

#### SPILL CLEAN UP METHODS

Use appropriate containment to avoid environmental contamination. Absorb in vermiculite, dry sand or earth and place into containers. Do not contaminate water sources or sewer. If contamination of drainage systems or water courses is unavoidable, immediately inform appropriate authorities.

### 7 HANDLING AND STORAGE

#### USAGE PRECAUTIONS

Provide good ventilation. Avoid spilling, skin and eye contact.

#### STORAGE PRECAUTIONS

Store below 100°C. Keep away from oxidising substances.

### 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT

**SMOKE TREATMENT****ENGINEERING MEASURES**

Well-ventilated area.

**HAND PROTECTION**

Use suitable protective gloves if risk of skin contact.

**EYE PROTECTION**

Wear approved safety goggles.

**OTHER PROTECTION**

Use barrier creams to prevent skin contact.

**9 PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE	Liquid Clear Viscous		
COLOUR	Brown		
ODOUR	Characteristic		
RELATIVE DENSITY	0.88 @ 20 °C	VAPOUR PRESSURE	< 1000 Pa @ 20 °C
FLASH POINT (°C)	190°C CC (Closed cup).		

**10 STABILITY AND REACTIVITY****CONDITIONS TO AVOID**

Avoid contact with strong oxidisers. Avoid overheating.

**HAZARDOUS DECOMPOSITION PRODUCTS**

Fire creates: Oxides of: Carbon.

**11 TOXICOLOGICAL INFORMATION**

TOXIC DOSE 1 - LD 50 > 4000 mg/kg (oral rat)

**TOXICOLOGICAL INFORMATION**

LD50 (skin, rabbit) > 4000 mg/kg.

**INHALATION**

Inhalation of mists or vapours at elevated temperatures may cause respiratory irritation.

**INGESTION**

No specific health warnings noted.

**SKIN CONTACT**

No specific health warnings noted.

**EYE CONTACT**

No specific health warnings noted.

**12 ECOLOGICAL INFORMATION****MOBILITY**

Absorbs on to soil and is not expected to be mobile. May require excavation of contaminated soil.

**13 DISPOSAL CONSIDERATIONS****DISPOSAL METHODS**

Dispose of waste and residues in accordance with local authority requirements.

**14 TRANSPORT INFORMATION**

GENERAL The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

**15 REGULATORY INFORMATION****RISK PHRASES**

NC Not classified.

**SAFETY PHRASES**

S2 Keep out of the reach of children

S46 If swallowed, seek medical advice immediately and show this container or label.

## SMOKE TREATMENT

---

### 16 OTHER INFORMATION

---

#### REVISION COMMENTS

Compliant with CHIP 3.1 (29th ATP). No changes / amendments.

REVISION DATE 09-2005

REV. NO./REPL. SDS GENERATED 3 / 09-2002

#### DISCLAIMER

The information supplied here is accurate to the best knowledge and belief of Clorox Car Care, it is however, not intended as a warranty or representation, and should not be construed as such, for which Clorox Car Care assumes any legal responsibility. Any information or advice obtained from Clorox Car Care other than by means of this publication, and whether relating to Clorox Car Care's products or other materials is also given in good faith. It remains at all times the responsibility of the customer, and user, to ensure that the materials are suitable for the particular purpose intended. Materials not manufactured, or supplied, by Clorox Car Care when used instead of, or in conjunction with materials supplied by Clorox Car Care, it is the customer's responsibility to ensure that all technical, and other information related to such materials is obtained from the manufacturer or supplier. Clorox Car Care accepts no liability for the data contained within this document, as the information herein may be applied under conditions beyond our control, and in situations with which we may be unfamiliar. The information contained within this document is furnished upon condition that the customer and user of this product makes his own determination of the suitability of the product for his particular purpose.